




SPECIES CALLISAURUS DRACONOIDES TAG NO. 201

CONTAINER NO. B70 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 62

DATE JUL 19 1962 SPEEDOMETER

LOCALITY 14 mi. w. of Glamis

COUNTY ~~RIVERSIDE~~ IMPERIAL CALIFORNIA

STANDARD TIME 1515 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 43.5 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 50 FEET

REMARKS: in sun on sand

SPECIES _____ TAG NO. 201
 CONTAINER NO. 878 SEX ♂ AGE ad TOE CLIP# _____
 WEIGHT(gms) _____ SMOUT-VENT LENGTH(mm) 65
 DATE _____ SPEEDOMETER _____
 LOCALITY _____
 COUNTY _____ RIVERSIDE CALIFORNIA
 STANDARD TIME 12:12 CLOUDS(% overcast) 0
 MOON _____ RELATIVE HUMIDITY(%) _____
 WIND DIRECTION _____ ALTITUDE(ft) 340
 WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C
 AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C
 SOIL SURFACE TEMP _____ °C CLOACAL TEMP 43.2 °C
 ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C
 HABITAT _____ CREOSOTE BUSH SCORUS
 PHASE 20 PRET _____
 REMARKS: in tank on 2/20/64

SPECIES CALLISAURUS DRACONOIDES TAG NO. 202

CONTAINER NO. B70 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) ~~72~~ 72

DATE JUL 19 1962 SPEEDOMETER

LOCALITY 10 mi. W. of Glamis

COUNTY ~~RIVERSIDE~~ IMPERIAL CALIFORNIA

STANDARD TIME 1630 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 45.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 150 FEET

REMARKS: in shade of Larrea

Digitized by the Internet Archive
in 2017 with funding from
CLIR

SPECIES CALLISAURUS DRACONOIDES TAG NO. 203

CONTAINER NO. B70 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 83

DATE JUL 19 1962 SPEEDOMETER

LOCALITY 7 mi. W. of Glamis

COUNTY ~~RIVERSIDE~~ IMPERIAL CALIFORNIA

STANDARD TIME 1655 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 42.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 100 FEET

REMARKS: in sun on road

SPECIES CRUCIANETUS TETRACANTHUS TAG NO. 2-03

CONTAINER NO. 873 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 83

DATE Jul 1 1963 SPEEDOMETER

LOCALITY 5 mi. W. of Glamis

COUNTY REVERSIDGE IMPERIAL CALIFORNIA

STANDARD TIME 1622 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 22.5 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 100 FEET

REMARKS: in tank on road

SPECIES CALLISAURUS DRACONOIDES TAG NO. 204

CONTAINER NO. B24 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 62

DATE JUL 19 1962 SPEEDOMETER

LOCALITY 7 mi. W. of Glamis

COUNTY ~~RIVERSIDE~~ IMPERIAL CALIFORNIA

STANDARD TIME 1705 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 42.5 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: in shade on sand

SPECIES CALLISAURUS DRACONOIDES TAG NO. 205

CONTAINER NO. - SEX ♂ AGE ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 20

DATE AUG 4 1962 SPEEDOMETER

LOCALITY 8 mi W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: DOR (in formation)

1913

1913

1913

1913

1913

1913

1913

1913

1913

1913

1913

1913

1913

1913

1913

1913

1913

1913

1913

1913

1913

1913

1913

1913

1913

1913

1913

1913

1913

1913

1913

1913

1913

1913

1913

SPECIES UMA NOTATA TAG NO. 206

CONTAINER NO. Y8 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 81

DATE AUG 10 1962 SPEEDOMETER

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1040 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 200 FEET

REMARKS: in sun on sand

SPECIES CALLISAURUS DRACONOIDES TAG NO. 207

CONTAINER NO. W18 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 86

DATE AUG 19 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0750 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 39.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 100 FEET

REMARKS: in sun on ground

SPECIES CALLISAURUS DRACONOIDES TAG NO. 208

CONTAINER NO. W18 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 72

DATE AUG 19 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0810 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 42.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: in sun

SPECIES CALLISAURUS DRACONOIDES TAG NO. 209

CONTAINER NO. W18 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 71

DATE AUG 19 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0835 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C


SOIL SURFACE TEMP °C CLOACAL TEMP 40.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 30 FEET

REMARKS: in sun



SPECIES CALLISAURUS DRACONOIDES TAG NO. 210

CONTAINER NO. W25 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 88

DATE AUG 19 1982 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0845 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 40.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: in sun

SPECIES CALLISAURUS DRACONOIDES TAG NO. 211

CONTAINER NO. W15 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 73

DATE AUG 19 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0900 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 42.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 50 FEET

REMARKS: in sun

SPECIES CALLISAURUS DRACONOIDES TAG NO. 212

CONTAINER NO. W15 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 81

DATE AUG 19 1982 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 09 05 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 39.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: in sun

SPECIES CALLISAURUS DRACONOIDES TAG NO. 213

CONTAINER NO. W15 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 78

DATE AUG 19 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0910 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 38.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 50 FEET

REMARKS: in sun

SPECIES CALLISAURUS DRACONICIDES TAG NO. 214

CONTAINER NO. R4 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 83

DATE AUG 19 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0935 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 42.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 60 FEET

REMARKS: in sun. molting.

SPECIES CALLISAURUS DRACONOIDES TAG NO. 215

CONTAINER NO. W24 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 79

DATE AUG 19 1962 SPEEDOMETER

LOCALITY 9 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1055 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 2850

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

WATER TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 44.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 50 FEET

REMARKS: in sun on rock

SPECIES CALLISAURUS DRACONOIDES TAG NO. 216

CONTAINER NO. W32 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 81

DATE AUG 19 1962 SPEEDOMETER

LOCALITY 9 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1105 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 2850

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 39.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 50 FEET

REMARKS: in sun on rock

SPECIES CALLISAURUS DRACONOIDES TAG NO. 217

CONTAINER NO. W23 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 77

DATE APR 7 1963 SPEEDOMETER

LOCALITY 12 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1305 CLOUDS(% overcast) 90

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C


SOIL SURFACE TEMP °C CLOACAL TEMP 41.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 150 FEET

REMARKS: at edge of pavement



SPECIES CALLISAURUS DRACONOIDES TAG NO. 218

CONTAINER NO. B18 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) ----- SNOUT-VENT LENGTH(mm) 66

DATE APR 20 1963 SPEEDOMETER

LOCALITY 10 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CALISCAURUS DRACONOIDES TAG NO. 219

CONTAINER NO. B18 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) ----- SNOUT-VENT LENGTH(mm) 57

DATE APR 20 1963 SPEEDOMETER

LOCALITY 10 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CALLISAURUS DRACONOIDES TAG NO. 220

CONTAINER NO. R2 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 93

DATE MAY 4 1963 SPEEDOMETER

LOCALITY 8 mi S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2800

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS :

SPECIES CALLISAURUS DRACONOIDES TAG NO. 221

CONTAINER NO. W31 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 77

DATE MAY 4 1963 SPEEDOMETER

LOCALITY 8 mi s. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 6

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2800

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C


SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS:



SPECIES CALLISAURUS DRACONOIDES TAG NO. 222

CONTAINER NO. Y8 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 85

DATE MAY 4 1963 SPEEDOMETER

LOCALITY 8 mi S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2800

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS :

SPECIES CALLISAURUS DRACONOIDES TAG NO. 223

CONTAINER NO. B56 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) ----- SNOUT-VENT LENGTH(mm) 85

DATE MAY 4 1963 SPEEDOMETER

LOCALITY 8 mi S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2800

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS :

SPECIES CALLISAURUS DRAGONOIDES TAG NO. 224

CONTAINER NO. W 28 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 85

DATE MAY 4 1963 SPEEDOMETER

LOCALITY 8 mi S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2800

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS :

SPECIES CALLISAURUS DRACONOIDES TAG NO. 225

CONTAINER NO. W28 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 80

DATE MAY 4 1969 SPEEDOMETER

LOCALITY 8 mi S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2800

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS :

SPECIES CALLISAURUS DRACONOIDES TAG NO. 226

CONTAINER NO. W30 SEX ♀ AGE Ad. TOE CLIP#

WEIGHT(gms) ----- SNOUT-VENT LENGTH(mm) 72
MAY 4 1963

DATE _____ SPEEDOMETER _____

LOCALITY 8 mi S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1025 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 2800

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 37.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS : _____

[illegible]

SPECIES CALLISAURUS DRACONOIDES TAG NO. 227

CONTAINER NO. R5 SEX ♂ AGE TOE CLIP#

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 82

DATE MAY 4 1963 SPEEDOMETER

LOCALITY 8 mi S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1035 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 2800

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 40.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUBCHASE 2 FEET

REMARKS: _____

SPECIES CALLISAURUS DRACONOIDES TAG NO. 228

CONTAINER NO. 09 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) ----- SNOUT-VENT LENGTH(mm) 81

DATE MAY 5 1962 SPEEDOMETER

LOCALITY Dale Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) ~~3800~~ 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS :

SPECIES CALLISAURUS DRACONOIDES TAG NO. 229

CONTAINER NO. 09 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) ----- SNOUT-VENT LENGTH(mm) 82

DATE MAY 5 1963 SPEEDOMETER

LOCALITY Dale Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 3 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS :

SPECIES CALLISAURUS DRACONOIDES TAG NO. 230

CONTAINER NO. 09 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 80

DATE MAY 2 1963 SPEEDOMETER

LOCALITY Dale Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS :

SPECIES CALLISAURUS DRACONOIDES TAG NO. 231

CONTAINER NO. R27 SEX ♀ AGE ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 60

DATE MAY 5 1963 SPEEDOMETER

LOCALITY Dale Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C


SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: Molting



SPECIES CALLISAURUS DRACONOIDES TAG NO. 232

CONTAINER NO. R44 SEX ♂ AGE ad TOE CLIP#

W^{HT} HT(gms) ----- SNOUT-VENT LENGTH(mm) 72

DATE MAY 5 1963 SPEEDOMETER

LOCALITY Dale Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

W^T T. TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS :

SPECIES Callisaurus draconoides TAG NO. 233

CONTAINER NO. — SEX ♂ AGE ad? TOE CLIP# —

WEIGHT(gms) ----- SNOUT-VENT LENGTH(mm) 62

DATE MAY 26 1963 SPEEDOMETER —

LOCALITY 12 mi W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME — CLOUDS(% overcast) —

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION — ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) — ROAD TEMP. — °C

AIR TEMP(1 m) — °C AIR TEMP(1 cm) — °C

SOIL SURFACE TEMP — °C CLOACAL TEMP — °C

ROCK SURFACE TEMP — °C SUBSTRATE TEMP — °C

HABITAT CREOSOTE BUSH SCRUB

CHASE — FEET

REMARKS: DOR

(131) (16)

TO _____

FROM _____

SUBJECT _____

DATE _____

TIME _____

PLACE _____

REASON _____

DETAILS _____

REFERENCE _____

REMARKS _____

INITIALS _____

SIGNATURE _____

DATE _____

TIME _____

PLACE _____

REASON _____

DETAILS _____

REFERENCE _____

REMARKS _____

INITIALS _____

SIGNATURE _____

DATE _____

TIME _____

SPECIES CALLISAURUS DRACONOIDES TAG NO. 234

CONTAINER NO. — SEX ♀ AGE ad TOE CLIP# —

WEIGHT(gms) — SNOUT-VENT LENGTH(mm) 55

DATE JUN 9 1963 SPEEDOMETER —

LOCALITY 14 mi W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME — CLOUDS(% overcast) —

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION — ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) — ROAD TEMP. — °C

AIR TEMP(30 in) — °C AIR TEMP(1 cm) — °C

SOIL SURFACE TEMP — °C CLOACAL TEMP — °C

ROCK SURFACE TEMP — °C SUBSTRATE TEMP — °C

HABITAT CREOSOTE BUSH SCRUB

CHASE — FEET

REMARKS: DOR

(13.3) (11) (20)

DATE _____

CONTAINER NO. _____

SHOOT-VEST (mm) _____

DATE _____

LOCALITY _____

COUNTY _____

STATION & TIME _____

RELATIVE HUMIDITY (%) _____

WIND DIRECTION _____

WIND VELOCITY (km/h) _____

AT _____ (m) _____

SOIL SURFACE TEMP _____

SOIL SURFACE HUMIDITY (%) _____

WETTING _____

CHISEL _____

SPECIES Callisaurus draconoides TAG NO. 235

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP# —

WEIGHT(gms) — SNOUT-VENT LENGTH(mm) 75

DATE AUG 22 1963 SPEEDOMETER —

LOCALITY 12 mi W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME — CLOUDS(% overcast) —

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION — ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) — ROAD TEMP. — °C

AIR TEMP(1 m) — °C AIR TEMP(1 cm) — °C

SOIL SURFACE TEMP — °C CLOACAL TEMP — °C

ROCK SURFACE TEMP — °C SUBSTRATE TEMP — °C

HABITAT CREOSOTE BUSH SCRUB

CHASE — FEET

REMARKS: (B3) Dor

—

—

—

—

SPECIES CALLISAURUS DRACONOIDES TAG NO. 236

CONTAINER NO. B80 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 81

DATE SEP 5 1963 SPEEDOMETER

LOCALITY 9 mi. S.E. of Glamis (East Clyde)

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0910 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C


SOIL SURFACE TEMP °C CLOACAL TEMP 42.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: molting



SPECIES CALLISAURUS DRACONOIDES TAG NO. 237

CONTAINER NO. B60 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 75

DATE Sept. 24, 1963 SPEEDOMETER

LOCALITY 16 mi. N.E. of Glamis

COUNTY Imperial CALIFORNIA

STANDARD TIME 0850 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 1000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT sandy wash

CHASE 1 FEET

REMARKS: caught by hand. I simply
crawled up to her and grabbed. I
missed the first time, but she stayed
to give me a second chance.

SPECIES CALLISAURUS DRACONOIDES TAG NO. 238

CONTAINER NO. 03 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 69

DATE APR 4 1964 SPEEDOMETER

LOCALITY 6 mi. N.E. of 29 Palms

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1050 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 40.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 8 FEET

REMARKS:

SPECIES CALLISAURUS DRACONOIDES TAG NO. 239

CONTAINER NO. B75 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 77

DATE APR 5 1964 SPEEDOMETER

LOCALITY 6 mi. N.E. of 29 Palms

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1155 CLOUDS(% overcast) 30

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 37.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 50 FEET

REMARKS:

SPECIES CALLISAURUS DRACONOIDES TAG NO. 240

CONTAINER NO. 03 SEX ♂ AGE ad? TOE CLIP# 62 (dead)

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 61 (live)

DATE APR 4 1964 SPEEDOMETER _____

LOCALITY 6 mi. N.E. of 29 Palms

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1000 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: _____

SPECIES CALLISAURUS DRACONOIDES TAG NO. 241

CONTAINER NO. Y6 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 74

DATE APR 11 1964 SPEEDOMETER

LOCALITY W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CALLISCAPIUS DUMICORNIS TAG NO. 242

CONTAINER NO. 010 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 84

DATE APR 11 1964 SPEEDOMETER

LOCALITY W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CALLISAURUS DRACONOIDES TAG NO. 243

CONTAINER NO. 020 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 79

DATE April 11, 1963 SPEEDOMETER

LOCALITY W. of Glamis

COUNTY Imperial CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT creosote bush scrub

CHASE FEET

REMARKS: caught by field zool. class

THE

OF

AND

THE

OF

THE

THE

THE

THE

THE

THE

THE

THE

THE

SPECIES CALLISAURUS DRACONOIDES TAG NO. 244

CONTAINER NO. 09 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 72

DATE MAY 2 1964 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1055 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 2800

WIND VELOCITY(mi/hr) 15-20 ROAD TEMP. °C

AIR TEMP(1 m) 11.5 °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 32.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS :

SPECIES CALLISAURUS DRACONOIDES TAG NO. 245

CONTAINER NO. R18 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 83

DATE AUG 3 1964 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1025 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C


SOIL SURFACE TEMP °C CLOACAL TEMP 42.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 30 FEET

REMARKS:



SPECIES CALLISAURUS DRACONOIDES TAG NO. 246

CONTAINER NO. W3 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 69

DATE Aug. 12, 1964 SPEEDOMETER

LOCALITY Palm Springs

COUNTY Riverside CALIFORNIA

STANDARD TIME 1050 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 44.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: in sun on rock

<u>Left oviduct</u>	<u>Right oviduct</u>
---------------------	----------------------

<u>12.9 X 8.1 mm.</u>	<u>14.3 X 8.7 mm</u>
-----------------------	----------------------

<u>12.8 X 8.7 "</u>	<u>14.1 X 8.7 "</u>
---------------------	---------------------

	<u>14.1 X 9.0 "</u>
--	---------------------

<u>2 corpora lutea</u>	<u>3 corpora lutea</u>
------------------------	------------------------

DATE _____

TIME _____

LOCATION _____

WEATHER _____

WIND _____

SEA _____

TEMPERATURE _____

MOON _____

STARS _____

1. _____

2. _____

3. _____

4. _____

NOTE _____

SPECIES CALLISAURUS DRACONOIDES TAG NO. 247

CONTAINER NO. B19 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 77

DATE AUG 18 1964 SPEEDOMETER

LOCALITY Sheep Hole Pass

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1350 CLOUDS(% overcast) 80

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 2500

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 43.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 50 FEET

REMARKS: in sun

SPECIES CALLISAURUS DRACONOIDES TAG NO. 248

CONTAINER NO. 03 SEX ♀ AGE ad TOE CLIP# -

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 69

DATE AUG 18 1964 SPEEDOMETER

LOCALITY Sheep Hole Pass

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1435 CLOUDS(% overcast) 80

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 2500

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 42.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 50 FEET

REMARKS: in sun

LEFT Ovary RT Ovary

1 O.L. 3 O.L.

Eggs in oviduct Eggs in oviduct
15.5 x 7.2 14.0 x 8.2

15.0 x 8.0 14.8 x 7.9

(Blastodisc 9mm)

SPECIES CALLISAURUS DRACONOIDES TAG NO. 249

CONTAINER NO. P5 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 65

DATE AUG 18 1964 SPEEDOMETER

LOCALITY 6 mi. NE of 29 Palms

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1530 CLOUDS(% overcast) 80

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 43.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 30 FEET

REMARKS :

SPECIES CALLISAURUS DRACONOIDES TAG NO. 250

CONTAINER NO. 01 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 82

DATE AUG 18 1964 SPEEDOMETER

LOCALITY 6 mi. NE of 29 Palms

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1545 CLOUDS(% overcast) 80

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C


SOIL SURFACE TEMP °C CLOACAL TEMP 39.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in open



SPECIES CALISCAURUS DRACONOIDES TAG NO. 251

CONTAINER NO. 01 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 71

DATE AUG 18 1964 SPEEDOMETER

LOCALITY 6 mi. NE of 29 Palms

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1550 CLOUDS(% overcast) 80

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 38.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 3 FEET

REMARKS :

SPECIES CALISAYA TAG NO. 252

CONTAINER NO. R5 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 73

DATE AUG 18 1984 SPEEDOMETER

LOCALITY 6 mi. NE of 29 Palms

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1620 CLOUDS(% overcast) 80

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C


SOIL SURFACE TEMP °C CLOACAL TEMP 42.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: enlarged post-anal scales



SPECIES CALIFORNIA DIPSOSAURUS TAG NO. 253

CONTAINER NO. R5 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 85

DATE AUG 18 1964 SPEEDOMETER

LOCALITY 6 mi. NE of 29 Palms

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1730 CLOUDS(% overcast) 80

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C


SOIL SURFACE TEMP °C CLOACAL TEMP 36.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 6 FEET

REMARKS: in sun



SPECIES CALLISAURUS DRACONOIDES TAG NO. 254

CONTAINER NO. R5 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 81

DATE AUG 18 1964 SPEEDOMETER

LOCALITY 6 mi. NE of 29 Palms

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1740 CLOUDS(% overcast) 80

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C


SOIL SURFACE TEMP °C CLOACAL TEMP 37.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 5 FEET

REMARKS: in sun



SPECIES CALLISAURUS DRACONOIDES TAG NO. 255

CONTAINER NO. R24 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 78

DATE AUG 19 1964 SPEEDOMETER

LOCALITY 2 mi. W. of Homestead Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1020 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 3100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 40.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 30 FEET

REMARKS: in sun on rock

TAG NO. 222

RUS DRACONOIDES

SEX ♂ AGE 04 TOE CLIP#

SNOUT-VENT LENGTH (mm) 58

SPEEDOMETER

CALIFORNIA

CLOUDS (% overcast) 0

RELATIVE HUMIDITY (%)

ALTITUDE (ft) 3100

ROAD TEMP. °C

AIR TEMP (1 cm) °C

CLOACAL TEMP °C 20.4

SUBSTRATE TEMP °C

TE BUSH SCRUB

ET

ON ROCK

R-351

STEEL BACKPLATE

S. E. & M. VERNON, INC.

U. S. A.

